

CONTENTS THE JOURNAL OF EXPERIMENTAL MEDICINE

Volume 160 No. 2 August 1, 1984

-
- 353 RIVKA BRACHA and DAVID MIRELMAN. Virulence of *Entamoeba histolytica* trophozoites: effects of bacteria, microaerobic conditions, and metronidazole
- 369 K. G. CHANDY, T. E. DECOURSEY, M. D. CAHALAN, C. McLAUGHLIN, and S. GUPTA. Voltage-gated potassium channels are required for human T lymphocyte activation
- 386 LARRY S. MCDANIEL, GERALDINE SCOTT, JOHN F. KEARNEY, and DAVID E. BRILES. Monoclonal antibodies against protease-sensitive pneumococcal antigens can protect mice from fatal infection with *Streptococcus pneumoniae*
- 398 KENNETH M. PETERSON and JOHN F. ALDERETE. Iron uptake and increased intracellular enzyme activity follow host lactoferrin binding by *Trichomonas vaginalis* receptors
- 411 AKIKO BABA, TEIZO FUJITA, and NOBORU TAMURA. Sexual dimorphism of the fifth component of mouse complement
- 420 MICHAEL B. MATHEWS, MORRIS REICHLIN, GRAHAM R. V. HUGHES, and ROBERT M. BERNSTEIN. Anti-threonyl-tRNA synthetase, a second myositis-related autoantibody
- 435 MICHAEL POTTER, JANET W. HARTLEY, JUDITH S. WAX, and DANIEL GALLAHAN. Effect of MuLV-related genes on plasmacytomagenesis in BALB/c mice
- 441 L. H. PERRIN, B. MERKLI, M. LOCHE, C. CHIZZOLINI, J. SMART, and R. RICHLE. Antimalarial immunity in Saimiri monkeys: immunization with surface components of asexual blood stages
- 452 KATHRYN HASKINS, CHARLES HANNUM, JANICE WHITE, NEAL ROEHM, RALPH KUBO, JOHN KAPPLER, and PHILIPPA MARRACK. The antigen-specific, major histocompatibility complex-restricted receptor on T cells. VI. An antibody to a receptor allotype
- 472 CAROLYN KATOVICH HURLEY, ROBERT C. GILES, GABRIEL NUNEZ, ROBERT DEMARS, LEE NADLER, ROBERT WINCHESTER, PETER STASTNY, and J. DONALD CAPRA. Molecular localization of human class II MT2 and MT3 determinants
- 494 D. N. POSNETT, R. D. BIGLER, Y. BUSHKIN, D. E. FISHER, C. Y. WANG, L. F. MAYER, N. CHIORAZZI, and H. G. KUNKEL. T cell antiidiotypic antibodies reveal differences between two human leukemias
- 506 YASUO FUKUSHI, SEN-ITIROH HAKOMORI, and THOMAS SHEPARD. Localization and alteration of mono-, di-, and trifucosyl $\alpha 1 \rightarrow 3$ type 2 chain structures during human embryogenesis and in human cancer
- 521 RAFI AHMED, AIMO SALMI, LARRY D. BUTLER, JACQUES M. CHILLER, and MICHAEL B. A. OLDSTONE. Selection of genetic variants of lymphocytic choriomeningitis virus in spleens of persistently infected mice: role in suppression of cytotoxic T lymphocyte response and viral persistence
- 541 MICHAEL B. BRENNER, IAN S. TROWBRIDGE, JOANNE McLEAN, and JACK L. STROMINGER. Identification of shared antigenic determinants of the putative human T lymphocyte antigen receptor
- 552 A. R. M. TOWNSEND and J. J. SKEHEL. The influenza A virus nucleoprotein gene controls the induction of both subtype specific and cross-reactive cytotoxic T cells
- 564 DOROTHY YUAN and PHILIP W. TUCKER. Transcriptional regulation of the μ - δ heavy chain locus in normal murine B lymphocytes
- 584 FRANCOIS ERARD, PATRICIA CORTHESEY, KENDALL A. SMITH, WALTER FIERIS, ANDREAS CONZELMANN, and MARKUS NABHOLZ. Characterization of soluble factors that induce the cytolytic activity and the expression of T cell growth factor receptors of a T cell hybrid
- BRIEF DEFINITIVE REPORTS
- 600 CARL F. NATHAN, THOMAS J. PRENDERGAST, MICHAEL E. WIEBE, E. RICHARD STANLEY, ERICH PLATZER, HEINZ G. REMOLD, KARL WELTE, BERISH Y. RUBIN, and HENRY W. MURRAY. Activation of human macrophages: comparison of other cytokines with interferon- γ
- 606 ELLEN PURE, ANDREW D. LUSTER, and JAY C. UNKELESS. Cell surface expression of murine, rat, and human Fc receptors by *Xenopus* oocytes

CONTENTS CONTINUED ON REVERSE OF THIS COVER

- 612 MITSURU TSUDO, TAKASHI UCHIYAMA, and HARUTO UCHINO. Expression of Tac antigen on activated normal human B cells
- 618 MICHAEL P. BEVILACQUA, JORDAN S. POBER, GERARD R. MAJEAU, RAMZI S. COTRAN, and MICHAEL A. GIMBRONE, JR. Interleukin 1 (IL-1) induces biosynthesis and cell surface expression of procoagulant activity in human vascular endothelial cells
- 624 ANTHONY A. HOLDER and ROBERT R. FREEMAN. The three major antigens on the surface of *Plasmodium falciparum* merozoites are derived from a single high molecular weight precursor

COPYEDITING AND PRODUCTION *Heather Libbey and Richard Cunniff*

PREPARATION OF MANUSCRIPT Articles should conform to the style of a current issue of this journal or to the recommendations of the *Council of Biology Editors Style Manual* (4th edition, 1978, American Institute of Biological Sciences, 1401 Wilson Blvd., Arlington, Va. 22209). Note that each reference should contain the title of the pertinent citation. Please supply a brief title for a running head, not exceeding 55 characters and spaces, with no abbreviations. Capitalize trade names and give manufacturers' full names and addresses. Only original typescript is acceptable for the printer; in addition, submit a fully legible carbon, mimeographed, or Xerox copy. Double space entire manuscript, including references, legends, footnotes, and tables.

PREPARATION OF ILLUSTRATIONS Label all illustrations (photographs, micrographs, charts, or drawings) sequentially with arabic numerals; designate them as figures. Number tables with roman numerals. In the margin of the manuscript, indicate approximately where each figure or table should appear.

PAGE SIZE The text block on each Journal page is $5 \times 7\frac{3}{4}$ inches. Plan illustrations, including their legends, to fit within these dimensions after reduction.

LINE DRAWINGS Provide original ink drawing (preferably $8\frac{1}{2} \times 11$ inches maximum). These give the sharpest reproductions. The lettering should be sans serif, and of consistent size, and so planned that the size of the lettering is in scale with the size and complexity of the figures. Lettering and labeling should be large enough to permit reduction to a minimum size. Capital letters and numbers should be $1\frac{1}{2}$ to $1\frac{3}{4}$ mm high after reduction.

MICROGRAPHS Micrographs should be planned so that they can be reproduced same size (not reduced). Figure numbers and lettering should be $2\frac{1}{2}$ to 3 mm high in sans serif style. If authors are unable to provide figures labeled satisfactorily, the Press will label them; in this case, the author must provide an overlay or diagram to show exactly where such labeling should appear.

In general, limit the field of a micrograph to the regions and structures discussed in the report; eliminate irrelevant structures or expanses. Cropping unnecessary areas from micrographs saves space and expense. If a micrograph must be specifically oriented, mark "top" on the back of the print.

Micrographs that are grouped should be of uniform size and shape, with the edges of the prints touching. The engraver will tool thin white lines between figures. Plan the over-all size of the grouping so the legend will fit below the composite; if the grouping occupies a full page, the legend will appear at the foot of the facing page. The Journals Office prefers that multiple photographs be submitted unmounted with a diagram showing the desired layout.